

abcam

Effector T cell markers poster

References

References

1. Tàpies Barba C, Alvarez Moro FJ, Palmer Sancho JA, Comet Segú R, Ruiz Marcellán MC. Unusually low CT density in a peripheral neurofibroma. *J Comput Assist Tomogr.* 1988 Nov-Dec;12(6):1086-7.
2. Romagnani S. Biology of human TH1 and TH2 cells. *J Clin Immunol.* 1995 May;15(3):121-9.
3. Swain SL. T-cell subsets. Who does the polarizing? *Curr Biol.* 1995 Aug 1;5(8):849-51.
4. Rabin RL, Roederer M, Maldonado Y, Petru A, Herzenberg LA, Herzenberg LA. Altered representation of naive and memory CD8 T cell subsets in HIV-infected children. *J Clin Invest.* 1995 May;95(5):2054-60.
5. Szabo SJ, Dighe AS, Gubler U, Murphy KM. Regulation of the interleukin (IL)-12R beta 2 subunit expression in developing T helper 1 (Th1) and Th2 cells. *J Exp Med.* 1997 Mar 3;185(5):817-24.
6. Rogge L, Barberis-Maino L, Biffi M, Passini N, Presky DH, Gubler U, Sinigaglia F. Selective expression of an interleukin-12 receptor component by human T helper 1 cells. *J Exp Med.* 1997 Mar 3;185(5):825-31.
7. Groux H, Sornasse T, Cottrez F, de Vries JE, Coffman RL, Roncarolo MG, Yssel H. Induction of human T helper cell type 1 differentiation results in loss of IFN-gamma receptor beta-chain expression. *J Immunol.* 1997 Jun 15;158(12):5627-31.
8. Hamann D, Baars PA, Rep MH, Hooibrink B, Kerkhof-Garde SR, Klein MR, van Lier RA. Phenotypic and functional separation of memory and effector human CD8+ T cells. *J Exp Med.* 1997 Nov 3;186(9):1407-18.
9. Bonecchi R, Bianchi G, Bordignon PP, D'Ambrosio D, Lang R, Borsatti A, Sozzani S, Allavena P, Gray PA, Mantovani A, Sinigaglia F. Differential expression of chemokine receptors and chemotactic responsiveness of type 1 T helper cells (Th1s) and Th2s. *J Exp Med.* 1998 Jan 5;187(1):129-34.
10. Goldstein JS, Chen T, Brunswick M, Mostowsky H, Kozlowski S. Purified MHC class I and peptide complexes activate naive CD8+ T cells independently of the CD28/B7 and LFA-1/ICAM-1 costimulatory interactions. *J Immunol.* 1998 Apr 1;160(7):3180-7.
11. Yang DD, Conze D, Whitmarsh AJ, Barrett T, Davis RJ, Rincón M, Flavell RA. Differentiation of CD4+ T cells to Th1 cells requires MAP kinase JNK2. *Immunity.* 1998 Oct;9(4):575-85.
12. Imai T, Nagira M, Takagi S, Kakizaki M, Nishimura M, Wang J, Gray PW, Matsushima K, Yoshie O. Selective recruitment of CCR4-bearing Th2 cells toward antigen-presenting cells by the CC chemokines thymus and activation-regulated chemokine and macrophage-derived chemokine. *Int Immunol.* 1999 Jan;11(1):81-8.

13. Oughton JA, Kerkvliet NI. Novel phenotype associated with in vivo activated CTL precursors. *Clin Immunol.* 1999 Mar;90(3):323-33.
14. Porcelli SA, Modlin RL. The CD1 system: antigen-presenting molecules for T cell recognition of lipids and glycolipids. *Annu Rev Immunol.* 1999;17: 297-329.
15. Sallusto F, Lenig D, Förster R, Lipp M, Lanzavecchia A. Two subsets of memory T lymphocytes with distinct homing potentials and effector functions. *Nature.* 1999 Oct 14;401(6754):708-12.
16. Romagnani S. Th1/Th2 cells. *Inflamm Bowel Dis.* 1999 Nov;5(4):285-94.
17. Slifka MK, Whitton JL. Activated and memory CD8+ T cells can be distinguished by their cytokine profiles and phenotypic markers. *J Immunol.* 2000 Jan 1;164(1):208-16.
18. Syrbe U, Siveke J, Hamann A. Th1/Th2 subsets: distinct differences in homing and chemokine receptor expression? *Springer Semin Immunopathol.* 1999;21(3):263-85.
19. Glimcher LH, Murphy KM. Lineage commitment in the immune system: the T helper lymphocyte grows up. *Genes Dev.* 2000 Jul 15;14(14):1693-711.
20. Romagnani S. T-cell subsets (Th1 versus Th2). *Ann Allergy Asthma Immunol.* 2000 Jul;85(1):9-18; quiz 18, 21.
21. Hamalainen H, Meissner S, Lahesmaa R. Signaling lymphocytic activation molecule (SLAM) is differentially expressed in human Th1 and Th2 cells. *J Immunol Methods.* 2000 Aug 28;242(1-2):9-19.
22. Breitfeld D, Ohl L, Kremmer E, Ellwart J, Sallusto F, Lipp M, Förster R. Follicular B helper T cells express CXC chemokine receptor 5, localize to B cell follicles, and support immunoglobulin production. *J Exp Med.* 2000 Dec 4;192(11):1545-52.
23. Campbell JJ, Murphy KE, Kunkel EJ, Brightling CE, Soler D, Shen Z, Boisvert J, Greenberg HB, Vierra MA, Goodman SB, Genovese MC, Wardlaw AJ, Butcher EC, Wu L. CCR7 expression and memory T cell diversity in humans. *J Immunol.* 2001 Jan 15;166(2):877-84.
24. Walzer T, Joubert G, Dubois PM, Tomkowiak M, Arpin C, Pihlgren M, Marvel J. Characterization at the single-cell level of naive and primed CD8 T cell cytokine responses. *Cell Immunol.* 2000 Nov 25;206(1):16-25.
25. Levings MK, Sangregorio R, Roncarolo MG. Human cd25(+) cd4(+) t regulatory cells suppress naive and memory T cell proliferation and can be expanded in vitro without loss of function. *J Exp Med.* 2001 Jun 4;193(11):1295-302.
26. Woo EY, Chu CS, Goletz TJ, Schlienger K, Yeh H, Coukos G, Rubin SC, Kaiser LR, June CH. Regulatory CD4(+) CD25(+) T cells in tumors from patients with early-stage non-small cell lung cancer and late-stage ovarian cancer. *Cancer Res.* 2001 Jun 15;61(12):4766-72.

27. Matsuda JL, Gapin L, Fazilleau N, Warren K, Naidenko OV, Kronenberg M. Natural killer T cells reactive to a single glycolipid exhibit a highly diverse T cell receptor beta repertoire and small clone size. *Proc Natl Acad Sci U S A*. 2001 Oct 23;98(22):12636-41. Epub 2001 Oct 9.
28. Kim CH, Rott L, Kunkel EJ, Genovese MC, Andrew DP, Wu L, Butcher EC. Rules of chemokine receptor association with T cell polarization in vivo. *J Clin Invest*. 2001 Nov;108(9):1331-9.
29. Egwuagu CE, Yu CR, Zhang M, Mahdi RM, Kim SJ, Gery I. Suppressors of cytokine signaling proteins are differentially expressed in Th1 and Th2 cells: implications for Th cell lineage commitment and maintenance. *J Immunol*. 2002 Apr 1;168(7):3181-7.
30. Brenchley JM, Douek DC, Ambrozak DR, Chatterji M, Betts MR, Davis LS, Koup RA. Expansion of activated human naïve T-cells precedes effector function. *Clin Exp Immunol*. 2002 Dec;130(3):432-40.
31. Khattri R, Cox T, Yasayko SA, Ramsdell F. An essential role for Scurfin in CD4+CD25+ T regulatory cells. *Nat Immunol*. 2003 Apr;4(4):337-42. Epub 2003 Mar 3.
32. Tsuchiya T, Ohshima K, Karube K, Yamaguchi T, Suefuji H, Hamasaki M, Kawasaki C, Suzumiya J, Tomonaga M, Kikuchi M. Th1, Th2, and activated T-cell marker and clinical prognosis in peripheral T-cell lymphoma, unspecified: comparison with AILD, ALCL, lymphoblastic lymphoma, and ATLL. *Blood*. 2004 Jan 1;103(1):236-41. Epub 2003 Sep 4.
33. Maekawa Y, Tsukumo S, Chiba S, Hirai H, Hayashi Y, Okada H, Kishihara K, Yasutomo K. Delta1-Notch3 interactions bias the functional differentiation of activated CD4+ T cells. *Immunity*. 2003 Oct;19(4):549-59.
34. Biedermann T, Röcken M, Carballido JM. TH1 and TH2 lymphocyte development and regulation of TH cell-mediated immune responses of the skin. *J Investig Dermatol Symp Proc*. 2004 Jan;9(1):5-14.
35. Chtanova T, Tangye SG, Newton R, Frank N, Hodge MR, Rolph MS, Mackay CR. T follicular helper cells express a distinctive transcriptional profile, reflecting their role as non-Th1/Th2 effector cells that provide help for B cells. *J Immunol*. 2004 Jul 1;173(1):68-78.
36. Kinter AL, Hennessey M, Bell A, Kern S, Lin Y, Daucher M, Planta M, McGlaughlin M, Jackson R, Ziegler SF, Fauci AS. CD25(+) CD4(+) regulatory T cells from the peripheral blood of asymptomatic HIV-infected individuals regulate CD4(+) and CD8(+) HIV-specific T cell immune responses in vitro and are associated with favorable clinical markers of disease status. *J Exp Med*. 2004 Aug 2;200(3):331-43. Epub 2004 Jul 26.
37. Grossman WJ, Verbsky JW, Barchet W, Colonna M, Atkinson JP, Ley TJ. Human T regulatory cells can use the perforin pathway to cause autologous target cell death. *Immunity*. 2004 Oct;21(4):589-601.

38. Fontenot JD, Rasmussen JP, Williams LM, Dooley JL, Farr AG, Rudensky AY. Regulatory T cell lineage specification by the forkhead transcription factor foxp3. *Immunity*. 2005 Mar;22(3):329-41.
39. Roncador G, Brown PJ, Maestre L, Hue S, Martínez-Torrecuadrada JL, Ling KL, Pratap S, Toms C, Fox BC, Cerundolo V, Powrie F, Banham AH. Analysis of FOXP3 protein expression in human CD4+CD25+ regulatory T cells at the single-cell level. *Eur J Immunol*. 2005 Jun;35(6):1681-91.
40. Chang HC, Zhang S, Thieu VT, Slee RB, Bruns HA, Laribee RN, Klemsz MJ, Kaplan MH. PU.1 expression delineates heterogeneity in primary Th2 cells. *Immunity*. 2005 Jun;22(6):693-703.
41. Baratelli F, Lin Y, Zhu L, Yang SC, Heuzé-Vourc'h N, Zeng G, Reckamp K, Dohadwala M, Sharma S, Dubinett SM. Prostaglandin E2 induces FOXP3 gene expression and T regulatory cell function in human CD4+ T cells. *J Immunol*. 2005 Aug 1;175(3):1483-90.
42. Cao W, Chen Y, Alkan S, Subramaniam A, Long F, Liu H, Diao R, Delohery T, McCormick J, Chen R, Ni D, Wright PS, Zhang X, Busch S, Zilberstein A. Human T helper (Th) cell lineage commitment is not directly linked to the secretion of IFN-gamma or IL-4: characterization of Th cells isolated by FACS based on IFN-gamma and IL-4 secretion. *Eur J Immunol*. 2005 Sep;35(9):2709-17.
43. Park H, Li Z, Yang XO, Chang SH, Nurieva R, Wang YH, Wang Y, Hood L, Zhu Z, Tian Q, Dong C. A distinct lineage of CD4 T cells regulates tissue inflammation by producing interleukin 17. *Nat Immunol*. 2005 Nov;6(11):1133-41. Epub 2005 Oct 2.
44. Harrington LE, Hatton RD, Mangan PR, Turner H, Murphy TL, Murphy KM, Weaver CT. Interleukin 17-producing CD4+ effector T cells develop via a lineage distinct from the T helper type 1 and 2 lineages. *Nat Immunol*. 2005 Nov;6(11):1123-32. Epub 2005 Oct 2.
45. Andersen MH, Schrama D, Thor Straten P, Becker JC. Cytotoxic T cells. *J Invest Dermatol*. 2006 Jan;126(1):32-41.
46. Seddiki N, Santner-Nanan B, Martinson J, Zaunders J, Sasson S, Landay A, Solomon M, Selby W, Alexander SI, Nanan R, Kelleher A, Fazekas de St Groth B. Expression of interleukin (IL)-2 and IL-7 receptors discriminates between human regulatory and activated T cells. *J Exp Med*. 2006 Jul 10;203(7):1693-700. Epub 2006 Jul 3.
47. Lim AY, Price P, Beilharz MW, French MA. Cell surface markers of regulatory T cells are not associated with increased forkhead box p3 expression in blood CD4+ T cells from HIV-infected patients responding to antiretroviral therapy. *Immunol Cell Biol*. 2006 Dec;84(6):530-6. Epub 2006 Sep 5.
48. Liang SC, Tan XY, Luxenberg DP, Karim R, Dunussi-Joannopoulos K, Collins M, Fouser LA. Interleukin (IL)-22 and IL-17 are coexpressed by Th17 cells and cooperatively enhance expression of antimicrobial peptides. *J Exp Med*. 2006 Oct 2;203(10):2271-9. Epub 2006 Sep 18.

49. Chung Y, Yang X, Chang SH, Ma L, Tian Q, Dong C. Expression and regulation of IL-22 in the IL-17-producing CD4⁺ T lymphocytes. *Cell Res.* 2006 Nov;16(11):902-7.
50. Acosta-Rodriguez EV, Rivino L, Geginat J, Jarrossay D, Gattorno M, Lanzavecchia A, Sallusto F, Napolitani G. Surface phenotype and antigenic specificity of human interleukin 17-producing T helper memory cells. *Nat Immunol.* 2007 Jun;8(6):639-46. Epub 2007 May 7.
51. Sato W, Aranami T, Yamamura T. Cutting edge: Human Th17 cells are identified as bearing CCR2⁺CCR5⁻ phenotype. *J Immunol.* 2007 Jun 15;178(12):7525-9.
52. Korn T, Bettelli E, Gao W, Awasthi A, Jäger A, Strom TB, Oukka M, Kuchroo VK. IL-21 initiates an alternative pathway to induce proinflammatory T(H)17 cells. *Nature.* 2007 Jul 26;448(7152):484-487. doi: 10.1038/nature05970. Epub 2007 Jun 20.
53. Nurieva R, Yang XO, Martinez G, Zhang Y, Panopoulos AD, Ma L, Schluns K, Tian Q, Watowich SS, Jetten AM, Dong C. Essential autocrine regulation by IL-21 in the generation of inflammatory T cells. *Nature.* 2007 Jul 26;448(7152):480-3. Epub 2007 Jun 20.
54. Annunziato F, Cosmi L, Santarlasci V, Maggi L, Liotta F, Mazzinghi B, Parente E, Fili L, Ferri S, Frosali F, Giudici F, Romagnani P, Parronchi P, Tonelli F, Maggi E, Romagnani S. Phenotypic and functional features of human Th17 cells. *J Exp Med.* 2007 Aug 6;204(8):1849-61. Epub 2007 Jul 16.
55. Li W, Sofi MH, Yeh N, Sehra S, McCarthy BP, Patel DR, Brutkiewicz RR, Kaplan MH, Chang CH. Thymic selection pathway regulates the effector function of CD4 T cells. *J Exp Med.* 2007 Sep 3;204(9):2145-57. Epub 2007 Aug 27.
56. Roark CL, French JD, Taylor MA, Bendele AM, Born WK, O'Brien RL. Exacerbation of collagen-induced arthritis by oligoclonal, IL-17-producing gamma delta T cells. *J Immunol.* 2007 Oct 15;179(8):5576-83.
57. Nagamachi M, Sakata D, Kabashima K, Furuyashiki T, Murata T, Segi-Nishida E, Soontrapa K, Matsuoka T, Miyachi Y, Narumiya S. Facilitation of Th1-mediated immune response by prostaglandin E receptor EP1. *J Exp Med.* 2007 Nov 26;204(12):2865-74. Epub 2007 Oct 29.
58. Bryant VL, Ma CS, Avery DT, Li Y, Good KL, Corcoran LM, de Waal Malefyt R, Tangye SG. Cytokine-mediated regulation of human B cell differentiation into Ig-secreting cells: predominant role of IL-21 produced by CXCR5⁺ T follicular helper cells. *J Immunol.* 2007 Dec 15;179(12):8180-90.
59. Lim HW, Lee J, Hillsamer P, Kim CH. Human Th17 cells share major trafficking receptors with both polarized effector T cells and FOXP3⁺ regulatory T cells. *J Immunol.* 2008 Jan 1;180(1):122-9.
60. Singh SP, Zhang HH, Foley JF, Hedrick MN, Farber JM. Human T cells that are able to produce IL-17 express the chemokine receptor CCR6. *J Immunol.* 2008 Jan 1;180(1):214-21.

61. Chen X, Subleski JJ, Kopf H, Howard OM, Männel DN, Oppenheim JJ. Cutting edge: expression of TNFR2 defines a maximally suppressive subset of mouse CD4⁺CD25⁺FoxP3⁺ T regulatory cells: applicability to tumor-infiltrating T regulatory cells. *J Immunol*. 2008 May 15;180(10):6467-71.
62. Sakaguchi S, Yamaguchi T, Nomura T, Ono M. Regulatory T cells and immune tolerance. *Cell*. 2008 May 30;133(5):775-87. doi: 10.1016/j.cell.2008.05.009.
63. Nurieva RI, Chung Y, Hwang D, Yang XO, Kang HS, Ma L, Wang YH, Watowich SS, Jetten AM, Tian Q, Dong C. Generation of T follicular helper cells is mediated by interleukin-21 but independent of T helper 1, 2, or 17 cell lineages. *Immunity*. 2008 Jul 18;29(1):138-49. doi: 10.1016/j.immuni.2008.05.009.
64. Cosmi L, De Palma R, Santarlasci V, Maggi L, Capone M, Frosali F, Rodolico G, Querci V, Abbate G, Angeli R, Berrino L, Fambrini M, Caproni M, Tonelli F, Lazzeri E, Parronchi P, Liotta F, Maggi E, Romagnani S, Annunziato F. Human interleukin 17-producing cells originate from a CD161⁺CD4⁺ T cell precursor. *J Exp Med*. 2008 Aug 4;205(8):1903-16. doi: 10.1084/jem.20080397. Epub 2008 Jul 28.
65. Mills KH. Induction, function and regulation of IL-17-producing T cells. *Eur J Immunol*. 2008 Oct;38(10):2636-49. doi: 10.1002/eji.200838535.
66. Dardalhon V, Awasthi A, Kwon H, Galileos G, Gao W, Sobel RA, Mitsdoerffer M, Strom TB, Elyaman W, Ho IC, Khoury S, Oukka M, Kuchroo VK. IL-4 inhibits TGF-beta-induced Foxp3⁺ T cells and, together with TGF-beta, generates IL-9⁺ IL-10⁺ Foxp3(-) effector T cells. *Nat Immunol*. 2008 Dec;9(12):1347-55. doi: 10.1038/ni.1677. Epub 2008 Nov 9. Erratum in: *Nat Immunol*. 2009 May;10(5):551.
67. Salama P, Phillips M, Grieu F, Morris M, Zeps N, Joseph D, Platell C, Iacopetta B. Tumor-infiltrating FOXP3⁺ T regulatory cells show strong prognostic significance in colorectal cancer. *J Clin Oncol*. 2009 Jan 10;27(2):186-92. doi: 10.1200/JCO.2008.18.7229. Epub 2008 Dec 8.
68. Kleinschek MA, Boniface K, Sadekova S, Grein J, Murphy EE, Turner SP, Raskin L, Desai B, Faubion WA, de Waal Malefyt R, Pierce RH, McClanahan T, Kastelein RA. Circulating and gut-resident human Th17 cells express CD161 and promote intestinal inflammation. *J Exp Med*. 2009 Mar 16;206(3):525-34. doi: 10.1084/jem.20081712. Epub 2009 Mar 9.
69. Alam MS, Kurtz CC, Rowlett RM, Reuter BK, Wiznerowicz E, Das S, Linden J, Crowe SE, Ernst PB. CD73 is expressed by human regulatory T helper cells and suppresses proinflammatory cytokine production and Helicobacter felis-induced gastritis in mice. *J Infect Dis*. 2009 Feb 15;199(4):494-504. doi: 10.1086/596205.
70. Fazilleau N, Mark L, McHeyzer-Williams LJ, McHeyzer-Williams MG. Follicular helper T cells: lineage and location. *Immunity*. 2009 Mar 20;30(3):324-35. doi: 10.1016/j.immuni.2009.03.003.
71. Miyara M, Yoshioka Y, Kitoh A, Shima T, Wing K, Niwa A, Parizot C, Taflin C, Heike T, Valeyre D, Mathian A, Nakahata T, Yamaguchi T, Nomura T, Ono M, Amoura Z, Gorochoff G, Sakaguchi S. Functional delineation and differentiation dynamics of

- human CD4+ T cells expressing the FoxP3 transcription factor. *Immunity*. 2009 Jun 19;30(6):899-911. doi: 10.1016/j.immuni.2009.03.019. Epub 2009 May 21.
72. Kryczek I, Banerjee M, Cheng P, Vatan L, Szeliga W, Wei S, Huang E, Finlayson E, Simeone D, Welling TH, Chang A, Coukos G, Liu R, Zou W. Phenotype, distribution, generation, and functional and clinical relevance of Th17 cells in the human tumor environments. *Blood*. 2009 Aug 6;114(6):1141-9. doi: 10.1182/blood-2009-03-208249. Epub 2009 May 21.
 73. Trifari S, Kaplan CD, Tran EH, Crellin NK, Spits H. Identification of a human helper T cell population that has abundant production of interleukin 22 and is distinct from T(H)-17, T(H)1 and T(H)2 cells. *Nat Immunol*. 2009 Aug;10(8):864-71. doi: 10.1038/ni.1770. Epub 2009 Jul 5.
 74. Duhon T, Geiger R, Jarrossay D, Lanzavecchia A, Sallusto F. Production of interleukin 22 but not interleukin 17 by a subset of human skin-homing memory T cells. *Nat Immunol*. 2009 Aug;10(8):857-63. doi: 10.1038/ni.1767. Epub 2009 Jul 5.
 75. Martin B, Hirota K, Cua DJ, Stockinger B, Veldhoen M. Interleukin-17-producing gammadelta T cells selectively expand in response to pathogen products and environmental signals. *Immunity*. 2009 Aug 21;31(2):321-30. doi: 10.1016/j.immuni.2009.06.020. Epub 2009 Aug 13.
 76. Sutton CE, Lalor SJ, Sweeney CM, Brereton CF, Lavelle EC, Mills KH. Interleukin-1 and IL-23 induce innate IL-17 production from gammadelta T cells, amplifying Th17 responses and autoimmunity. *Immunity*. 2009 Aug 21;31(2):331-41. doi: 10.1016/j.immuni.2009.08.001. Epub 2009 Aug 13.
 77. Jenner RG, Townsend MJ, Jackson I, Sun K, Bouwman RD, Young RA, Glimcher LH, Lord GM. The transcription factors T-bet and GATA-3 control alternative pathways of T-cell differentiation through a shared set of target genes. *Proc Natl Acad Sci U S A*. 2009 Oct 20;106(42):17876-81. doi: 10.1073/pnas.0909357106. Epub 2009 Oct 5.
 78. Eyerich S, Eyerich K, Pennino D, Carbone T, Nasorri F, Pallotta S, Cianfarani F, Odoriso T, Traidl-Hoffmann C, Behrendt H, Durham SR, Schmidt-Weber CB, Cavani A. Th22 cells represent a distinct human T cell subset involved in epidermal immunity and remodeling. *J Clin Invest*. 2009 Dec;119(12):3573-85. doi: 10.1172/JCI40202. Epub 2009 Nov 16.
 79. Zhu J, Yamane H, Paul WE. Differentiation of effector CD4 T cell populations (*). *Annu Rev Immunol*. 2010; 28: 445-89. doi: 10.1146/annurev-immunol-030409-101212.
 80. Laurent C, Fazilleau N, Brousset P. A novel subset of T-helper cells: follicular T-helper cells and their markers. *Haematologica*. 2010 Mar;95(3):356-8. doi: 10.3324/haematol.2009.019133.
 81. Chang HC, Sehra S, Goswami R, Yao W, Yu Q, Stritesky GL, Jabeen R, McKinley C, Ahyi AN, Han L, Nguyen ET, Robertson MJ, Perumal NB, Tepper RS, Nutt SL, Kaplan MH. The transcription factor PU.1 is required for the development of IL-9-producing T cells and allergic inflammation. *Nat Immunol*. 2010 Jun;11(6):527-34. doi: 10.1038/ni.1867. Epub 2010 May 2.

82. Maggi L, Santarlasci V, Capone M, Peired A, Frosali F, Crome SQ, Querci V, Fambrini M, Liotta F, Levings MK, Maggi E, Cosmi L, Romagnani S, Annunziato F. CD161 is a marker of all human IL-17-producing T-cell subsets and is induced by RORC. *Eur J Immunol*. 2010 Aug;40(8):2174-81. doi: 10.1002/eji.200940257.
83. Ramirez JM, Brembilla NC, Sorg O, Chicheportiche R, Matthes T, Dayer JM, Saurat JH, Roosnek E, Chizzolini C. Activation of the aryl hydrocarbon receptor reveals distinct requirements for IL-22 and IL-17 production by human T helper cells. *Eur J Immunol*. 2010 Sep;40(9):2450-9. doi: 10.1002/eji.201040461.
84. Yu D, Vinuesa CG. The elusive identity of T follicular helper cells. *Trends Immunol*. 2010 Oct;31(10):377-83. doi: 10.1016/j.it.2010.07.001. Epub 2010 Aug 31.
85. de Jong A, Peña-Cruz V, Cheng TY, Clark RA, Van Rhijn I, Moody DB. CD1a-autoreactive T cells are a normal component of the human $\alpha\beta$ T cell repertoire. *Nat Immunol*. 2010 Dec;11(12):1102-9. doi: 10.1038/ni.1956. Epub 2010 Oct 31.
86. Hao J, Wu X, Xia S, Li Z, Wen T, Zhao N, Wu Z, Wang P, Zhao L, Yin Z. Current progress in $\gamma\delta$ T-cell biology. *Cell Mol Immunol*. 2010 Nov;7(6):409-13. doi: 10.1038/cmi.2010.50. Epub 2010 Oct 11.
87. Crotty S. Follicular helper CD4 T cells (TFH). *Annu Rev Immunol*. 2011;29:621-63. doi: 10.1146/annurev-immunol-031210-101400.
88. Kaplan MH, Glosson NL, Stritesky GL, Yeh N, Kinzfohl J, Rohrabough SL, Goswami R, Pham D, Levy DE, Brutkiewicz RR, Blum JS, Cooper S, Hangoc G, Broxmeyer HE. STAT3-dependent IL-21 production from T helper cells regulates hematopoietic progenitor cell homeostasis. *Blood*. 2011 Jun 9;117(23):6198-201. doi: 10.1182/blood-2011-02-334367. Epub 2011 Apr 19.
89. Chen X, Oppenheim JJ. Resolving the identity myth: key markers of functional CD4+FoxP3+ regulatory T cells. *Int Immunopharmacol*. 2011 Oct;11(10):1489-96. doi: 10.1016/j.intimp.2011.05.018. Epub 2011 May 31.
90. Nolz JC, Starbeck-Miller GR, Harty JT. Naive, effector and memory CD8 T-cell trafficking: parallels and distinctions. *Immunotherapy*. 2011 Oct;3(10):1223-33. doi: 10.2217/imt.11.100.
91. Guillot-Delost M, Le Gouvello S, Mesel-Lemoine M, Cheraï M, Baillou C, Simon A, Levy Y, Weiss L, Louafi S, Chaput N, Berrehar F, Kerbrat S, Klatzmann D, Lemoine FM. Human CD90 identifies Th17/Tc17 T cell subsets that are depleted in HIV-infected patients. *J Immunol*. 2012 Feb 1;188(3):981-91. doi: 10.4049/jimmunol.1101592. Epub 2011 Dec 19.
92. Newell EW, Sigal N, Bendall SC, Nolan GP, Davis MM. Cytometry by time-of-flight shows combinatorial cytokine expression and virus-specific cell niches within a continuum of CD8+ T cell phenotypes. *Immunity*. 2012 Jan 27;36(1):142-52. doi: 10.1016/j.immuni.2012.01.002. Erratum in: *Immunity*. 2013 Jan 24;38(1):198-9.

93. Schmetterer KG, Neunkirchner A, Pickl WF. Naturally occurring regulatory T cells: markers, mechanisms, and manipulation. *FASEB J*. 2012 Jun;26(6):2253-76. doi: 10.1096/fj.11-193672. Epub 2012 Feb 23.
94. Ye ZJ, Yuan ML, Zhou Q, Du RH, Yang WB, Xiong XZ, Zhang JC, Wu C, Qin SM, Shi HZ. Differentiation and recruitment of Th9 cells stimulated by pleural mesothelial cells in human *Mycobacterium tuberculosis* infection. *PLoS One*. 2012;7(2): e31710. doi: 10.1371/journal.pone.0031710. Epub 2012 Feb 20.
95. Bengsch B, Seigel B, Flecken T, Wolanski J, Blum HE, Thimme R. Human Th17 cells express high levels of enzymatically active dipeptidylpeptidase IV (CD26). *J Immunol*. 2012 Jun 1;188(11):5438-47. doi: 10.4049/jimmunol.1103801. Epub 2012 Apr 25.
96. Craft JE. Follicular helper T cells in immunity and systemic autoimmunity. *Nat Rev Rheumatol*. 2012 May 1;8(6):337-47. doi: 10.1038/nrrheum.2012.58.
97. Annunziato F, Cosmi L, Liotta F, Maggi E, Romagnani S. Defining the human T helper 17 cell phenotype. *Trends Immunol*. 2012 Oct;33(10):505-12. doi: 10.1016/j.it.2012.05.004. Epub 2012 Jun 7.
98. Ma CS, Deenick EK, Batten M, Tangye SG. The origins, function, and regulation of T follicular helper cells. *J Exp Med*. 2012 Jul 2;209(7):1241-53. doi: 10.1084/jem.20120994.
99. Kim CJ, Nazli A, Rojas OL, Chege D, Alidina Z, Huibner S, Mujib S, Benko E, Kovacs C, Shin LY, Grin A, Kandel G, Loutfy M, Ostrowski M, Gommerman JL, Kaushic C, Kaul R. A role for mucosal IL-22 production and Th22 cells in HIV-associated mucosal immunopathogenesis. *Mucosal Immunol*. 2012 Nov;5(6):670-80. doi: 10.1038/mi.2012.72. Epub 2012 Aug 1. PubMed PMID: 22854709.
100. Goswami R, Kaplan MH. Gcn5 is required for PU.1-dependent IL-9 induction in Th9 cells. *J Immunol*. 2012 Sep 15;189(6):3026-33. doi: 10.4049/jimmunol.1201496. Epub 2012 Aug 17.
101. Juno JA, Keynan Y, Fowke KR. Invariant NKT cells: regulation and function during viral infection. *PLoS Pathog*. 2012;8(8): e1002838. doi: 10.1371/journal.ppat.1002838. Epub 2012 Aug 16.
102. Sutton CE, Mielke LA, Mills KH. IL-17-producing $\gamma\delta$ T cells and innate lymphoid cells. *Eur J Immunol*. 2012 Sep;42(9):2221-31. doi: 10.1002/eji.201242569. Review. PubMed PMID: 22949320.
103. Michel ML, Pang DJ, Haque SF, Potocnik AJ, Pennington DJ, Hayday AC. Interleukin 7 (IL-7) selectively promotes mouse and human IL-17-producing $\gamma\delta$ cells. *Proc Natl Acad Sci U S A*. 2012 Oct 23;109(43):17549-54. doi: 10.1073/pnas.1204327109. Epub 2012 Oct 9.
104. Kanhere A, Hertweck A, Bhatia U, Gökmen MR, Perucha E, Jackson I, Lord GM, Jenner RG. T-bet and GATA3 orchestrate Th1 and Th2 differentiation through

- lineage-specific targeting of distal regulatory elements. *Nat Commun.* 2012;3:1268. doi: 10.1038/ncomms2260.
105. Chien YH, Zeng X, Prinz I. The natural and the inducible: interleukin (IL)-17-producing $\gamma\delta$ T cells. *Trends Immunol.* 2013 Apr;34(4):151-4. doi: 10.1016/j.it.2012.11.004. Epub 2012 Dec 22.
 106. Brodie T, Brenna E, Sallusto F. OMIP-018: chemokine receptor expression on human T helper cells. *Cytometry A.* 2013 Jun;83(6):530-2. doi: 10.1002/cyto.a.22278. Epub 2013 Mar 15. Erratum in: *Cytometry A.* 2013 Nov;83(11):1041-5.
 107. Liao CM, Zimmer MI, Wang CR. The functions of type I and type II natural killer T cells in inflammatory bowel diseases. *Inflamm Bowel Dis.* 2013 May;19(6):1330-8. doi: 10.1097/MIB.0b013e318280b1e3.
 108. Hale JS, Youngblood B, Latner DR, Mohammed AU, Ye L, Akondy RS, Wu T, Iyer SS, Ahmed R. Distinct memory CD4⁺ T cells with commitment to T follicular helper-and T helper 1-cell lineages are generated after acute viral infection. *Immunity.* 2013 Apr 18;38(4):805-17. doi: 10.1016/j.immuni.2013.02.020. Epub 2013 Apr 11.
 109. Fujita H. The role of IL-22 and Th22 cells in human skin diseases. *J Dermatol Sci.* 2013 Oct;72(1):3-8. doi: 10.1016/j.jdermsci.2013.04.028. Epub 2013 May 3.
 110. Kara EE, Comerford I, Bastow CR, Fenix KA, Litchfield W, Handel TM, McColl SR. Distinct chemokine receptor axes regulate Th9 cell trafficking to allergic and autoimmune inflammatory sites. *J Immunol.* 2013 Aug 1;191(3):1110-7. doi: 10.4049/jimmunol.1203089. Epub 2013 Jun 24.
 111. Ma CS, Deenick EK. Human T follicular helper (Tfh) cells and disease. *Immunol Cell Biol.* 2014 Jan;92(1):64-71. doi: 10.1038/icb.2013.55. Epub 2013 Oct 22.
 112. Jabeen R, Goswami R, Awe O, Kulkarni A, Nguyen ET, Attenasio A, Walsh D, Olson MR, Kim MH, Tepper RS, Sun J, Kim CH, Taparowsky EJ, Zhou B, Kaplan MH. Th9 cell development requires a BATF-regulated transcriptional network. *J Clin Invest.* 2013 Nov;123(11):4641-53.
 113. Mahnke YD, Brodie TM, Sallusto F, Roederer M, Lugli E. The who's who of T-cell differentiation: human memory T-cell subsets. *Eur J Immunol.* 2013 Nov;43(11):2797-809. doi: 10.1002/eji.201343751. Epub 2013 Oct 30.
 114. Ramesh R, Kozhaya L, McKevitt K, Djuretic IM, Carlson TJ, Quintero MA, McCauley JL, Abreu MT, Unutmaz D, Sundrud MS. Pro-inflammatory human Th17 cells selectively express P-glycoprotein and are refractory to glucocorticoids. *J Exp Med.* 2014 Jan 13;211(1):89-104. doi: 10.1084/jem.20130301. Epub 2014 Jan 6.
 115. Gerlach K, Hwang Y, Nikolaev A, Atreya R, Dornhoff H, Steiner S, Lehr HA, Wirtz S, Vieth M, Waisman A, Rosenbauer F, McKenzie AN, Weigmann B, Neurath MF. TH9 cells that express the transcription factor PU.1 drive T cell-mediated colitis via IL-9 receptor signaling in intestinal epithelial cells. *Nat Immunol.* 2014 Jul;15(7):676-86. doi: 10.1038/ni.2920. Epub 2014 Jun 8. Erratum in: *Nat Immunol.* 2015 Feb;16(2):214.

116. Schmitt N, Bentebibel SE, Ueno H. Phenotype and functions of memory Tfh cells in human blood. *Trends Immunol.* 2014 Sep;35(9):436-42. doi: 10.1016/j.it.2014.06.002. Epub 2014 Jul 3.
117. Cabrera CM, Urrea JM, Alfaya T, Roca Fde L, Feo-Brito F. Expression of Th1, Th2, lymphocyte trafficking and activation markers on CD4+ T-cells of Hymenoptera allergic subjects and after venom immunotherapy. *Mol Immunol.* 2014 Nov;62(1):178-85. doi: 10.1016/j.molimm.2014.06.023. Epub 2014 Jul 5.
118. Hosking MP, Flynn CT, Whitton JL. Antigen-specific naive CD8+ T cells produce a single pulse of IFN- γ in vivo within hours of infection, but without antiviral effect. *J Immunol.* 2014 Aug 15;193(4):1873-85. doi: 10.4049/jimmunol.1400348. Epub 2014 Jul 11.
119. Wallin EF, Jolly EC, Suchánek O, Bradley JA, Espéli M, Jayne DR, Linterman MA, Smith KG. Human T-follicular helper and T-follicular regulatory cell maintenance is independent of germinal centers. *Blood.* 2014 Oct 23;124(17):2666-74. doi: 10.1182/blood-2014-07-585976. Epub 2014 Sep 15.
120. Ellis JS, Braley-Mullen H. Regulatory T cells in B-cell-deficient and wild-type mice differ functionally and in expression of cell surface markers. *Immunology.* 2015 Apr;144(4):598-610. doi: 10.1111/imm.12410.
121. Crotty S. T follicular helper cell differentiation, function, and roles in disease. *Immunity.* 2014 Oct 16;41(4):529-42. doi: 10.1016/j.immuni.2014.10.004.
122. Paget C, Chow MT, Gherardin NA, Beavis PA, Uldrich AP, Duret H, Hassane M, Souza-Fonseca-Guimaraes F, Mogilenko DA, Staumont-Sallé D, Escalante NK, Hill GR, Neeson P, Ritchie DS, Dombrowicz D, Mallevaey T, Trottein F, Belz GT, Godfrey DI, Smyth MJ. CD3bright signals on $\gamma\delta$ T cells identify IL-17A-producing V γ 6V δ 1+ T cells. *Immunol Cell Biol.* 2015 Feb;93(2):198-212. doi: 10.1038/icb.2014.94. Epub 2014 Nov 11.
123. Lafont V, Sanchez F, Laprevotte E, Michaud HA, Gros L, Eliaou JF, Bonnefoy N. Plasticity of $\gamma\delta$ T Cells: Impact on the Anti-Tumor Response. *Front Immunol.* 2014 Dec 8;5:622. doi: 10.3389/fimmu.2014.00622. eCollection 2014.
124. Geginat J, Paroni M, Maglie S, Alfen JS, Kastir I, Guarini P, De Simone M, Pagani M, Abrignani S. Plasticity of human CD4 T cell subsets. *Front Immunol.* 2014 Dec 16;5:630. doi: 10.3389/fimmu.2014.00630. eCollection 2014.
125. Ueno H, Banchereau J, Vinuesa CG. Pathophysiology of T follicular helper cells in humans and mice. *Nat Immunol.* 2015 Feb;16(2):142-52. doi: 10.1038/ni.3054.
126. Ranzani V, Rossetti G, Panzeri I, Arrigoni A, Bonnal RJ, Curti S, Guarini P, Provasi E, Sugliano E, Marconi M, De Francesco R, Geginat J, Bodega B, Abrignani S, Pagani M. The long intergenic noncoding RNA landscape of human lymphocytes highlights the regulation of T cell differentiation by linc-MAF-4. *Nat Immunol.* 2015 Mar;16(3):318-325. doi: 10.1038/ni.3093. Epub 2015 Jan 26.

127. Crotty S. A brief history of T cell help to B cells. *Nat Rev Immunol*. 2015 Mar;15(3):185-9. doi: 10.1038/nri3803. Epub 2015 Feb 13.
128. Hale JS, Ahmed R. Memory T follicular helper CD4 T cells. *Front Immunol*. 2015 Feb 2;6:16. doi: 10.3389/fimmu.2015.00016. eCollection 2015.
129. Nambiar J, Clarke AW, Shim D, Mabon D, Tian C, Windloch K, Buhmann C, Corazon B, Lindgren M, Pollard M, Domagala T, Poulton L, Doyle AG. Potent neutralizing anti-CD1d antibody reduces lung cytokine release in primate asthma model. *MAbs*. 2015;7(3):638-50. doi: 10.1080/19420862.2015.1016693.
130. Kollár S, Berta L, Vásárhelyi ZE, Balog A, Vásárhelyi B, Rigó J Jr, Toldi G. Impact of aging on calcium influx and potassium channel characteristics of T lymphocytes. *Oncotarget*. 2015 May 30;6(15):13750-6.
131. Santegoets SJ, Dijkgraaf EM, Battaglia A, Beckhove P, Britten CM, Gallimore A, Godkin A, Gouttefangeas C, de Gruijl TD, Koenen HJ, Scheffold A, Shevach EM, Staats J, Taskén K, Whiteside TL, Kroep JR, Welters MJ, van der Burg SH. Monitoring regulatory T cells in clinical samples: consensus on an essential marker set and gating strategy for regulatory T cell analysis by flow cytometry. *Cancer Immunol Immunother*. 2015 Oct;64(10):1271-86. doi: 10.1007/s00262-015-1729-x. Epub 2015 Jun 28.
132. Di Lullo G, Marcatti M, Heltai S, Brunetto E, Tresoldi C, Bondanza A, Bonini C, Ponzoni M, Tonon G, Ciceri F, Bordignon C, Protti MP. Th22 cells increase in poor prognosis multiple myeloma and promote tumor cell growth and survival. *Oncoimmunology*. 2015 Feb 3;4(5):e1005460. eCollection 2015 May.
133. Nakatsukasa H, Zhang D, Maruyama T, Chen H, Cui K, Ishikawa M, Deng L, Zanvit P, Tu E, Jin W, Abbatiello B, Goldberg N, Chen Q, Sun L, Zhao K, Chen W. The DNA-binding inhibitor Id3 regulates IL-9 production in CD4(+) T cells. *Nat Immunol*. 2015 Oct;16(10):1077-84. doi: 10.1038/ni.3252. Epub 2015 Aug 31.
134. Lee YJ, Wang H, Starrett GJ, Phuong V, Jameson SC, Hogquist KA. Tissue-Specific Distribution of iNKT Cells Impacts Their Cytokine Response. *Immunity*. 2015 Sep 15;43(3):566-78. doi: 10.1016/j.immuni.2015.06.025. Epub 2015 Sep 8.
135. Hoppenot D, Malakauskas K, Lavinskiene S, Sakalauskas R. p-STAT6, PU.1, and NF- κ B are involved in allergen-induced late-phase airway inflammation in asthma patients. *BMC Pulm Med*. 2015 Oct 14;15:122. doi: 10.1186/s12890-015-0119-7.
136. Wingender G, Kronenberg M. OMIP-030: Characterization of human T cell subsets via surface markers. *Cytometry A*. 2015 Dec;87(12):1067-9. doi: 10.1002/cyto.a.22788. Epub 2015 Oct 27.
137. Malik S, Want MY, Awasthi A. The Emerging Roles of Gamma-Delta T Cells in Tissue Inflammation in Experimental Autoimmune Encephalomyelitis. *Front Immunol*. 2016 Jan 29;7:14. doi: 10.3389/fimmu.2016.00014. eCollection 2016.

138. Golubovskaya V, Wu L. Different Subsets of T Cells, Memory, Effector Functions, and CAR-T Immunotherapy. *Cancers (Basel)*. 2016 Mar 15;8(3). pii: E36. doi: 10.3390/cancers8030036.
139. Mesquita D Jr, Cruvinel WM, Resende LS, Mesquita FV, Silva NP, Câmara NO, Andrade LE. Follicular helper T cell in immunity and autoimmunity. *Braz J Med Biol Res*. 2016;49(5):e5209. doi: 10.1590/1414-431X20165209. Epub 2016 Apr 19.
140. Nguyen HH, Kim T, Song SY, Park S, Cho HH, Jung SH, Ahn JS, Kim HJ, Lee JJ, Kim HO, Cho JH, Yang DH. Naïve CD8(+) T cell derived tumor-specific cytotoxic effectors as a potential remedy for overcoming TGF- β immunosuppression in the tumor microenvironment. *Sci Rep*. 2016 Jun 16;6:28208. doi: 10.1038/srep28208.
141. Orbán C, Szabó D, Bajnok A, Vásárhelyi B, Tulassay T, Arató A, Veres G, Toldi G. Altered calcium influx of peripheral Th2 cells in pediatric Crohn's disease: infliximab may normalize activation patterns. *Oncotarget*. 2016 Jul 19;7(29):44966-44974. doi: 10.18632/oncotarget.10036.
142. Ma CS, Wong N, Rao G, Nguyen A, Avery DT, Payne K, Torpy J, O'Young P, Deenick E, Bustamante J, Puel A, Okada S, Kobayashi M, Martinez-Barricarte R, Elliott M, Sebnem Kilic S, El Baghdadi J, Minegishi Y, Bousfiha A, Robertson N, Hambleton S, Arkwright PD, French M, Blincoe AK, Hsu P, Campbell DE, Stormon MO, Wong M, Adelstein S, Fulcher DA, Cook MC, Stepensky P, Boztug K, Beier R, Ikinçioğullari A, Ziegler JB, Gray P, Picard C, Boisson-Dupuis S, Phan TG, Grimbacher B, Warnatz K, Holland SM, Uzel G, Casanova JL, Tangye SG. Unique and shared signaling pathways cooperate to regulate the differentiation of human CD4+ T cells into distinct effector subsets. *J Exp Med*. 2016 Jul 25;213(8):1589-608. doi: 10.1084/jem.20151467. Epub 2016 Jul 11.
143. Lu T, Liu Y, Yu S, Yin C, Li P, Ye J, Ma D, Ji C. Increased frequency of circulating Th22 cells in patients with B-cell non-Hodgkin's lymphoma. *Oncotarget*. 2016 Aug 30;7(35):56574-56583. doi: 10.18632/oncotarget.10966.
144. Wang Y, Ma CS, Ling Y, Bousfiha A, Camcioglu Y, Jacquot S, Payne K, Crestani E, Roncagalli R, Belkadi A, Kerner G, Lorenzo L, Deswarte C, Chrabieh M, Patin E, Vincent QB, Müller-Fleckenstein I, Fleckenstein B, Ailal F, Quintana-Murci L, Fraitag S, Alyanakian MA, Leruez-Ville M, Picard C, Puel A, Bustamante J, Boisson-Dupuis S, Malissen M, Malissen B, Abel L, Hovnanian A, Notarangelo LD, Jouanguy E, Tangye SG, Béziat V, Casanova JL. Dual T cell- and B cell-intrinsic deficiency in humans with biallelic RLTPR mutations. *J Exp Med*. 2016 Oct 17;213(11):2413-2435. Epub 2016 Sep 19.
145. Fard NA, Azizi G, Mirshafiey A. The Potential Role of T Helper Cell 22 and IL-22 in Immunopathogenesis of Multiple Sclerosis. *Innov Clin Neurosci*. 2016 Aug 1;13(7-8):30-6. eCollection 2016 Jul-Aug.
146. Kaplan MH. The transcription factor network in Th9 cells. *Semin Immunopathol*. 2017 Jan;39(1):11-20. doi: 10.1007/s00281-016-0600-2. Epub 2016 Nov 11.

147. Goodyear OC, Essex S, Seetharam A, Basu S, Moss P, Pratt G. Neoplastic plasma cells generate an inflammatory environment within bone marrow and markedly alter the distribution of T cells between lymphoid compartments. *Oncotarget*. 2017 May 2;8(18):30383-30394. doi: 10.18632/oncotarget.16628.
148. Candia E, Reyes P, Covian C, Rodriguez F, Wainstein N, Morales J, Mosso C, Roseblatt M, Fierro JA. Single and combined effect of retinoic acid and rapamycin modulate the generation, activity and homing potential of induced human regulatory T cells. *PLoS One*. 2017 Jul 26;12(7):e0182009. doi: 10.1371/journal.pone.0182009. eCollection 2017.